



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D4085-3

Job Sheet 201195



Part No: D4085-3

Job Qty: 36 pcs

Part Name: Placard



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 9/27/19

Job Tracking No:

Created By: Marie Lajeunesse

Due Date: 10/21/19

Description:

Type: Stock

Note: DWG REV C IPP Rev:A 10.08.18 new issue DD verf:EC

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Purchasing	36 pcs		10/21/19	0.00	0.00	Purchasing - 1		
							Purchasing - 2		
							Purchasing - 3		
110	Packaging 2-1 - Receive - B4B	36 pcs		10/21/19	0.00	0.00	Packaging 2 - 1 - B4B		
							Packaging 2 - 2 - B4B		
							Packaging 2 - 3 - B4B		
							Packaging 2 - 5 - B4B		
							Packaging 2 - 4 - B4B		
							Packaging 2 - 6 - B4B		
							Packaging 2 - 7 - B4B		
							Packaging 2 - 8 - B4B		
							Packaging 2 - 9 - B4B		
							Packaging 2 - 10 - B4B		
							Packaging 2 - 11 - B4B		
							Packaging 2 - 12 - B4B		
							Packaging 2 - 13 - B4B		
							Packaging 2 - 14 - B4B		
							Packaging 2 - 15 - B4B		
							Packaging 2 - 16 - B4B		
							Packaging 2 - 17 - B4B		
							Packaging 2 - 18 - B4B		
							Packaging 2 - 19 - B4B		
							Packaging 2 - 20 -		



Container No: S221137



Part: D4085-3

Job No: 201195

Serial No/Batch: S221137

Revision:

Inspector:

Exp Date: 10/09/2020

Instructions: Various STC's

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 10/09/19

Plex 9/27/19 11:33 AM Dart.Lavoie.Chantal

					B4B	
					Packaging 2 - 21 - B4B	
					Packaging 2 - 22 - B4B	
					Packaging 2 - 23 - B4B	
					Packaging 2 - 24 - B4B	
					Packaging 2 - 25 - B4B	
					Packaging 2 - 26 - B4B	
					Packaging 2 - 27 - B4B	
					Packaging 2 - 28 - B4B	
					Packaging 2 - 29 - B4B	
					Packaging 2 - 30 - B4B	
					Packaging 2 - 31 - B4B	
					Packaging 2 - 32 - B4B	
					Packaging 2 - 33 - B4B	
					Packaging 2 - 34 - B4B	
					Packaging 2 - 35 - B4B	
					Packaging 2 - 36 - B4B	
120	QC 6	36 pcs	10/21/19	0.00 0.00	QC 6 - 9	
					QC 6 - 68	
					QC 6 - 61	
					QC 6 - 40	
					QC 6 - 81	
130	Packaging 3-1 - Stock - B4B	36 pcs	10/21/19	0.00 0.00	Packaging 3 - 1 - B4B	
					Packaging 3 - 2 - B4B	
					Packaging 3 - 3 - B4B	
					Packaging 3 - 4 - B4B	
					Packaging 3 - 5 - B4B	
					Packaging 3 - 6 - B4B	
					Packaging 3 - 7 - B4B	
					Packaging 3 - 8 - B4B	
					Packaging 3 - 9 - B4B	
					Packaging 3 - 10 - B4B	
					Packaging 3 - 11 - B4B	
					Packaging 3 - 12 - B4B	
					Packaging 3 - 13 - B4B	
					Packaging 3 - 14 - B4B	
					Packaging 3 - 15 - B4B	
					Packaging 3 - 16 - B4B	
					Packaging 3 - 17 - B4B	

				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	PC 5074
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
140 QC 21 - SA	36 pcs	10/21/19	0.00 0.00	QC 21 - SA - 21	
				QC 21 - SA - 70	
				QC 21 - SA - 53	

OCT 10 2019

Part Op 100 - (Purchasing) Issue P/O: _____
 Descriptions: 110 - (Receive & Inspect for Damage & Mat'l Certs)
 120 - (QC6- All purchased or subcontracted products)
 130 - (Identify as per dwg & Stock Location: _____) ***ONE YEAR EXPIRED DATE FROM
 RECEIVING: _____
 140 - (QC21- Final Inspection - Work Order Release)

PO Details

Studio de Lettrage 2001 (stu002-vc)



PO No: POHB044612

Line No: 1

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D4085-3P	Placard, Instructions	36 pcs (1 ea)	100-Purchasing	522114 exp. 10/09/2020

Job Allocations


Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	D4085-3P	36	0	0

Plex 9/27/19 11:33 AM Dart.Lavoie.Chantal

Part Specifications

Specifications could not be found.

Plex 9/27/19 11:33 AM Dart.Lavoie.Chantal



D4085-3 PLACARD, INSTRUCTIONS

NOTES:
1) MATERIAL: BLACK LETTERS AND GRAPHICS WITH RED ARROWS AND LOGO ON WHITE BACKGROUND AND ADHESIVE BACK.
MANUFACTURED FROM 3M, 7 MIL MASKING FILM #8622CP OR AVERY IPM #2031

- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI D18 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) USE FILE D4085-3C.sps FOR GRAPHICS

RELEASED
R 2010-07-18

SHOP COPY
RETURN TO
ENGINEER
UNCONTROLLED
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 201195.M5
14-09-27

DESIGN	IPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN		
CHECKED		DRAWING NO. REV. C
MFG. APPR.	N/A	D4085 SHEET 2 OF 2
APPROVED		TITLE SCALE
DATE	10.06.25	PLACARD, INSTRUCTIONS NTS

COPYRIGHT © 2010 BY DART AEROSPACE LTD
THIS DOCUMENT IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE
NOT TO BE USED FOR ANY PURPOSES OTHER THAN THAT FOR WHICH IT WAS
ORIGINALLY INTENDED WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD



Entered: _____ Date: _____

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

Route update only ☐

NCR No. _____

DISPOSITION		DEPARTMENT/PROCESS			
Job: _____	Rework ☐ Scrap ☐ Use-as-is ☐	Skid-tube ☐ Machining ☐ Large Fab ☐	Cross tube ☐ Small Fab ☐ Finishing ☐	Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐	Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐
Date: _____	Sequence #: _____	QTY Affected: _____		MRB (QS1042)	
Description Work Order Deviation		Disposition			
		Completed By			
		Lead hand / Supervisor			
		QC / QA Coordinator			
Root Cause		FAULT CATEGORY			
☐ Operator		☐ Contamination		☐ Power Loss/Surge	
☐ Manufacturing Process		☐ Misaligned/off center		☐ Folio/Program	
☐ Equip/Tooling		☐ BOM/Route		☐ Grain Direction	
☐ Handling/Preservation		☐ Broken/Damage/Defect		☐ Weld	
☐ Material		☐ Incomplete/Unclear Instructions		☐ Wrong Stock Pulled	
☐ Product Improvement		☐ Drill Holes		☐ Out of Sequence	
☐ Process Improvement		☐ Fit/Function		☐ Off-set/Set-up	
☐ Human Factors		Other/Details:		☐ Positioned Wrong	
				☐ Outside Tolerance	
				☐ Drawing	
				☐ Finish	
				☐ Part Lost/Missing	
				☐ Misread	



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB044612



Supplier: STU002-VC
Studio de Lettrage 2001
210 Main West
Hawkesbury
ON
K6A 2H6 Canada
Phone: 613 632 5449
Fax: 613 632 9491

Attention: Grace, Batista

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: POHB044612

PO Date: 9/26/19

Due Date: 10/7/19

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
Phone: 613-623-5200 Ext: 242
Fax: 613-632-1053
clavoie@dartaero.com

Via: Ground

Pynt Terms: Net 30

Freight Terms:

Special Comments:

SEP 27 2019

Items

Items													
Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	201195	D4085-3P			Placard, Instructions : AS PER DWG D4085 REV. C	Firmed	-	10/7/19	36 pcs	0 pcs	36 pcs	\$4.00/pcs	\$144.00
X36													
OCT 09 2019													
DP													
Grand Total:													\$144.00

INVOICE

West
Esbury, Ontario K6A 2H6
Canada

Invoice No.: 48665
Date: 10/02/2019
Ship Date:
Page: 1
Re: Order No.

Sold to:

Dart Aerospace Ltd

1270 Aberdeen
Hawkesbury, Ontario
K6A 1K7

Ship to:

Dart Aerospace Ltd

1270 Aberdeen
Hawkesbury, Ontario
K6A 1K7

Business No.: 825007651RT0001

Quantity	Description	Tax	Base Price	Disc %	Unit Price	Amount
36	D4085-3P. PO# HB044612	H	4.00		4.00	144.00
	Attn: Chantal					144.00
	Subtotal:					
	H - HST					18.72
	HST					
RECEIVED OCT 02 2019 DART AEROSPACE LTD.						
Studio SL2 HST: #HST						
Shipped By: Tracking Number:					Total Amount	162.72
Comment: WO26041					Amount Paid	0.00
Sold By:					Amount Owing	162.72

*** CERTIFICATE of CONFORMITY ***

Manufacture:

Studio SL2

Purchase order #:

HB044612

Packing Slip#

WO#26041

Part #:

Drawing Rev:

Serial/Batch:

Description (Part Name):

D4085-3P

Quantity:

36

Certification:

We hereby certify that:

PLEASE
CHECK
BOX IF
REQUIRED

1. The above listed items were manufactured and/or inspected in accordance with applicable supplied drawings and/or specifications. ☒
2. All work was accomplished in accordance with the Dart Aerospace Ltd. purchase order. ☒
3. Results of all inspections, chemical or physical test, as well as other evidence, which shows the acceptability of raw materials, parts and/or assembly components are on file and available for inspection at any time. ☒
4. All material certification or copies of purchase orders of the material used to manufacture this component have been attached to this document. ☒

Record Expiry Date of Materials: Oct 2, 2020

Authority:

3m


Approval:

Valerie Young

Date: (yyyy/mm/dd)

2019/10/02

Signature:



Title:

Office Admin

DAS
81
9-89

IJ35-10
IJ35-20**Quick Links**

[3M Graphics Warranties](#)
[Technical Information Selector](#)
[Safety Data Sheets \(SDS\)](#)
[Flammability \(ASTM E84 Reports\)](#)
[Videos](#)

Product Description

- For Solvent, Eco-Solvent UV and Latex Inkjet Printing and Screen Printing
- 3.2-mil vinyl film

Product Features

- Available in gloss and matte finishes
- Pressure-sensitive adhesive
- Permanent
- Expected Performance Life of 5 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)

Recommended Types of Graphics and End Uses

- Short to long-term, indoor and outdoor promotional graphics
- Signs, trade show and point-of-purchase displays
- Exhibits and architectural applications

Graphic Protection

Graphic protection can improve the appearance, performance and durability of your graphic. Always use only the graphic protection options recommended in this Bulletin for this film.

- [3M™ Scotchcal™ Gloss Overlamine 8508](#)
- [3M™ Scotchcal™ Luster Overlamine 8509](#)
- [3M™ Scotchcal™ Matte Overlamine 8510](#)

Characteristics

These are typical values for unprocessed product. Processing may change the values.

Physical Characteristics

Characteristic	Value
Material	Vinyl
Film Color	White, opaque
Thickness	Without adhesive: 3.25 mil (0.081 mm) With adhesive: 4.0 mil (0.102 mm)
Adhesive	Pressure sensitive
Adhesive Color	Gray
Liner	Polycoated paper
Flammability	ASTM E84 reports: IJ35-10 and IJ35-20 , or go to the On-line Product Catalog at 3Mgraphics.com

Factors that Affect Graphic Performance Life

The actual performance life of a graphic is affected by:

- the combinations of graphics materials used.
- complete ink drying or curing.
- selection, condition and preparation of the substrate.
- surface texture.
- application methods.
- angle and direction of sun exposure.
- environmental conditions.
- cleaning or maintenance methods.

Graphics Manufacturing

CAUTION

Before using any equipment, always read the manufacturer's instructions for safe operation.

Inkjet Printing

Always read and follow the ink manufacturer's written instructions on usage.

- **Sheeted film:** When used on a flat-bed inkjet printer, sheeted film may produce printing defects.
- **Ink limiting:** The recommended maximum ink limit is 250%.
- **If sheeted or stacked graphics will be stored:** If you plan to store sheeted and stacked finished graphics for an extended period of times, leave an unprinted margin (about 1/4 inch) to allow for possible shrinkage before trimming the graphic.

Do not exceed the recommended total ink coverage for the ink series used on this film. Having too high a total physical ink amount on the film results in media characteristic changes, incomplete drying, overlamine lifting, and/or poor graphic performance.

Completely Dry Graphics

IMPORTANT NOTE

Incomplete drying or curing can result in graphic failure including curling, increased shrinkage and adhesion failure, which are not covered under any 3M Graphic Warranty.

See the ink's 3M Product and Instruction Bulletin for more details.

Screen Printing

Formulations and processing conditions can affect ink durability. Refer to the Product and Instruction Bulletins for your ink for limitations and proper usage.

Cutting

See [3M Instruction Bulletin 4.1](#) for Sheeting, Scoring and Film Cutting details.

Graphic Protection

Graphic protection may improve the appearance, performance and durability of the graphic. Click on the graphic protection options listed in Product Bulletin or see the [3M Graphics Market Product Catalog](#) for more information.

IMPORTANT NOTE

During installation, scratches may occur on films without graphic protection.

Bulletin Change Summary

For the most current 3M Technical Information available to successfully use this product, please view this Bulletin electronically and click on the blue underlined links to view the relevant documents.

Release J, NOV-2016:

- Updated Thickness. See "Physical Characteristics" on page 1.

3M Commercial
Solutions
3M Center
Building 220-12E-04
St. Paul, MN 55144-1000
Phone 1-888-328-3908
Web 3M.com/Graphics

3M Canada
PO Box 5757
London, ON N6A 4T1
1-800-265-1840
Fax 519-452-6245

3M México S.A. de C.V.
Av. Santa Fe No. 55
Col. Santa Fe, Del. Alvaro
Obregón
México D.F. 01210
General 5255-5270-0400
Fax 5255-5270-2277

3M Puerto Rico, Inc.
350 Chardon Avenue
Suite 1100
San Juan, PR 00918
General 787-620-3000
Fax 787-620-3018

3M and Scotchcal are trademarks of 3M Company. All other trademarks are the property of their respective owners.

